

GAUGE SAVER / OVER LOAD PROTECTOR

SSKE30-4

APPLICATIONS

- Max. Working Temperature 180° C Max.
- Working Pressure 650 Bar Max.
- Overload Protector for all pressure Instruments
- Low and High Pressure applications



FEATURES

- MOC-SS16 / MONEL
- PISTON & BELLOW TYPE
- LOW 200 Mbar to HIGH PRESSURE 650 bar
- RANGE ADJUSTMENT BY ADJUSTMENT NUT

GAUGE SAVER - PISTON / BELLOW TYPE - SSKE30-4

DESCRIPTION

General

Thread design : ANSI B1.20.1 / BS EN ISO 228-1

Service temperature : 180° C

Working Pressure : 650 Bar

Material of construction

Body Material : AISI 316 SS / MONEL

Packing Material : VITON


Standard version

Element Type : Piston / Bellow Type

Instrument connection : 1/2" NPT (F) / 1/2" BSP (F)

Process connection : 1/2" NPT (M) / 1/2" BSP (M)

GA DRAWING



ORDERING CODES

MODEL SSKE30-4- Gauge Saver / Over Load Protector

SSKE30-4

SNNUBER TYPE

1B

2P/3P/4P/5P/6P/7P - Gauge Saver Piston Type

1B / 2B - Gauge Saver Bellow Type

BODY MATERIAL

S02

S02 AISI 316 SS

S05 MONEL

INSTRUMENT CONNECTION

P27

P28 1/2" NPT (F)

P27 1/2" BSP (F)

PROCESS CONNECTION

P07

P08 1/2" NPT (M)

P07 1/2" BSP (M)

OPTIONS

E90

E90 HYDRO TEST CERTIFICATE

E31 Material test certificate 3.1

E32 Material test certificate 2.2

Ordering Example : SSKE30-4.SS.S01.P27.P07.E90/XX.

SHREE SAMARTH KRUPA ENGINEERS

Contact : +91 8155865961, +919586682557

prakash@shree-samarthkrupa.com, www.shree-samarthkrupa.com